

L Number	Hits	Search Text	DB	Time stamp
-	809	345/204.ccls.	USPAT; EPO; JPO	2003/03/01 15:43
-	1	5,532,712.pn.	USPAT; EPO; JPO	2003/02/26 11:47
-	277	drive adj circuit and transmissive and liquid adj crystal adj display	USPAT; EPO; JPO	2003/02/26 11:59
-	1	drive adj circuit and transmissive adj scattered and liquid adj crystal adj display	USPAT; EPO; JPO	2003/02/26 11:59
-	15	drive adj circuit and transmissive and liquid adj crystal adj display and ambient adj temperature	USPAT; EPO; JPO	2003/02/26 12:00
-	101079	liquid adj crystal adj display	USPAT; EPO; JPO	2003/07/11 14:41
-	0	liquid adj crystal adj display and charge adj characteristic and compensate	USPAT; EPO; JPO	2003/03/02 14:49
-	4	liquid adj crystal adj display and charge adj characteristic and compensate	USPAT; EPO; JPO	2003/02/26 12:48
-	0	liquid adj crystal adj display and charge adj characteristic and compensate adj circuit	USPAT; EPO; JPO	2003/02/26 12:49
-	4	liquid adj crystal adj display and charge adj characteristic and compensate and circuit	USPAT; EPO; JPO	2003/02/26 12:49
-	3	liquid adj crystal adj display and charge adj characteristic and compensate and circuit and ambient	USPAT; EPO; JPO	2003/02/26 12:49
-	3	liquid adj crystal adj display and charge adj characteristic and compensate and circuit and ambient adj temperature	USPAT; EPO; JPO	2003/02/26 12:50
-	15	liquid adj crystal adj display and charge adj characteristic	USPAT; EPO; JPO	2003/02/26 13:03
-	0	liquid adj crystal adj display and charge adj characteristic and gate adj control	USPAT; EPO; JPO	2003/02/26 13:04
-	0	liquid adj crystal adj display and charge adj characteristic and scanline adj control	USPAT; EPO; JPO	2003/02/26 13:04
-	2	liquid adj crystal adj display and charge adj characteristic and gate and control and temperature	USPAT; EPO; JPO	2003/02/26 13:05
-	2	345/87.ccls. and temperature adj ambient	USPAT; EPO; JPO	2003/02/26 13:08
-	3	liquid adj crystal adj display and charge adj characteristic and gate and control	USPAT; EPO; JPO	2003/02/26 13:11
-	253	345/87.ccls. and temperature	USPAT; EPO; JPO	2003/02/26 13:24
-	14378	345/87.ccls. and temperature and switch and control scan adj line	USPAT; EPO; JPO	2003/02/26 13:25
-	7	345/87.ccls. and temperature and switch and control and scan adj line	USPAT; EPO; JPO	2003/02/26 13:34
-	5	345/204.ccls. and temperature and switch and control and scan adj line	USPAT; EPO; JPO	2003/02/26 13:35
-	117	gate adj line adj driver	USPAT; EPO; JPO	2003/02/26 13:59
-	0	gate adj line adj driver and current adj controller	USPAT; EPO; JPO	2003/02/26 13:59
-	24	gate adj line adj driver and current and controller	USPAT; EPO; JPO	2003/02/26 14:00
-	1	gate adj line adj driver and current and controller and respond and temperature and change	USPAT; EPO; JPO	2003/02/26 14:00
-	3	gate adj line adj driver and current and controller and respond	USPAT; EPO; JPO	2003/02/26 14:46
-	1	gate adj line adj driver and current and controller and respond and temperature	USPAT; EPO; JPO	2003/02/26 14:47
-	20	gate adj line adj driver and change and temperature	USPAT; EPO; JPO	2003/02/26 14:48
-	2	gate adj line adj driver and change adj temperature	USPAT; EPO; JPO	2003/02/26 14:54

-	0	gate adj line adj driver adj respond adj	USPAT;	2003/02/26
-		change adj temperature	EPO; JPO	14:56
-	0	gate adj line adj driver and respond adj	USPAT;	2003/02/26
-		change adj temperature	EPO; JPO	14:56
-	56	respond adj change adj temperature	USPAT;	2003/02/26
-			EPO; JPO	14:56
-	2	respond adj change adj temperature and	USPAT;	2003/02/26
-		current adj controller	EPO; JPO	15:00
-	4115	current adj controller	USPAT;	2003/02/26
-			EPO; JPO	15:00
-	2	current adj controller and respond adj	USPAT;	2003/02/26
-		change adj temperature	EPO; JPO	15:02
-	0	current adj controller adj respond adj	USPAT;	2003/02/26
-		(change adj temperature)	EPO; JPO	15:03
-	0	current adj controller adj respond and	USPAT;	2003/02/26
-		(change adj temperature)	EPO; JPO	15:03
-	81	current adj controller and (change adj	USPAT;	2003/02/26
-		temperature)	EPO; JPO	15:04
-	1	5,754,154.pn.	USPAT;	2003/02/27
-			EPO; JPO	13:26
-	1	5,852,430.pn.	USPAT;	2003/02/27
-			EPO; JPO	13:27
-	1	6,075,511.pn.	USPAT;	2003/02/27
-			EPO; JPO	13:28
-	1	6,313,818 B1.pn.	USPAT;	2003/02/27
-			EPO; JPO	13:28
-	2	345/94-101.ccls. and temperature adj	USPAT;	2003/02/27
-		detection and current adj detection	EPO; JPO	13:31
-	927	345/97.ccls.	USPAT;	2003/03/01
-			EPO; JPO	15:44
-	157	345/97.ccls. and current controller and	USPAT;	2003/03/01
-		resistor and thermistor and TFT	EPO; JPO	15:44
-	156	345/97.ccls. and current controller and	USPAT;	2003/03/01
-		resistor and thermistor and TFT and	EPO; JPO	15:44
-		transistor		
-	0	345/97.ccls. and current adj controller	USPAT;	2003/03/01
-		and resistor and thermistor and TFT and	EPO; JPO	15:46
-		transistor		
-	0	345/97.ccls. and current adj controller	USPAT;	2003/03/01
-		and resistor and thermistor and	EPO; JPO	15:45
-		transistor		
-	0	345/97.ccls. and current adj controller	USPAT;	2003/03/01
-		and resistor and thermistor	EPO; JPO	15:45
-	0	345/97.ccls. and current adj controller	USPAT;	2003/03/01
-		and resistor	EPO; JPO	15:45
-	0	345/97.ccls. and current adj controller	USPAT;	2003/03/01
-			EPO; JPO	15:45
-	0	345/97.ccls. and current and controller	USPAT;	2003/03/01
-		and resistor and thermistor and TFT and	EPO; JPO	15:46
-		transistor		
-	0	345/97.ccls. and controller and resistor	USPAT;	2003/03/01
-		and thermistor and TFT and transistor	EPO; JPO	15:46
-	0	345/97.ccls. and controller and resistor	USPAT;	2003/03/01
-		and thermistor and transistor	EPO; JPO	15:46
-	2	345/97.ccls. and controller and resistor	USPAT;	2003/03/01
-		and transistor	EPO; JPO	15:46
-	0	345/97.ccls. and controller and resistor	USPAT;	2003/03/01
-		and transistor and thermistor	EPO; JPO	15:46
-	0	current adj controller and resistor and	USPAT;	2003/03/01
-		thermistor and TFT and transistor	EPO; JPO	15:47
-	50	current adj controller and resistor and	USPAT;	2003/03/01
-		thermistor and transistor	EPO; JPO	15:48
-	0	current adj controller and resistor and	USPAT;	2003/03/01
-		thermistor and transistor and LCD	EPO; JPO	15:47
-	0	current adj controller and resistor and	USPAT;	2003/03/01
-		thermistor and transistor and liquid adj	EPO; JPO	15:47
-		crystal adj display		
-	1326	controller and resistor and transistor	USPAT;	2003/03/01
-		and thermistor	EPO; JPO	15:48

-	50	current adj controller and resistor and thermistor and transistor and temperature and voltage	USPAT; EPO; JPO	2003/03/01 15:55
-	20	current adj controller and resistor and thermistor and transistor and temperature and voltage and display	USPAT; EPO; JPO	2003/07/14 09:15
-	0	current adj controller and resistor and thermistor and transistor and temperature and voltage and display and liquid adj crystal	USPAT; EPO; JPO	2003/03/01 15:49
-	20	current adj controller and resistor and thermistor and transistor and temperature and voltage and display	USPAT; EPO; JPO	2003/03/01 15:49
-	0	current adj controller and resistor and thermistor and matrix and TFT and temperature and voltage	USPAT; EPO; JPO	2003/03/01 15:56
-	3	current adj controller and resistor and thermistor and matrix and temperature and voltage	USPAT; EPO; JPO	2003/03/01 15:57
-	0	current adj controller and resistor and thermistor and matrix and gate and source and drain and voltage	USPAT; EPO; JPO	2003/03/01 15:57
-	0	current adj controller and resistor and thermistor and matrix and gate and source and drain	USPAT; EPO; JPO	2003/03/01 15:57
-	93	resistor and thermistor and matrix and gate and source and drain	USPAT; EPO; JPO	2003/03/01 15:58
-	415	resistor and thermistor and LCD	USPAT; EPO; JPO	2003/03/01 15:58
-	0	resistor and thermistor and LCD and gate adj control	USPAT; EPO; JPO	2003/03/01 15:58
-	220	resistor and thermistor and LCD and gate and control	USPAT; EPO; JPO	2003/03/03 08:24
-	111	resistor and thermistor and LCD and gate and control and drain	USPAT; EPO; JPO	2003/03/01 15:59
-	6	resistor and thermistor and LCD and gate and control and drain and source and pixels	USPAT; EPO; JPO	2003/03/03 10:29
-	2	resistor and thermistor and LCD and gate and control and matrix and TFT	USPAT; EPO; JPO	2003/03/01 16:09
-	2	resistor and thermistor and LCD and matrix and TFT	USPAT; EPO; JPO	2003/07/14 17:48
-	107	resistor and thermistor and LCD and gate and control and drain and source	USPAT; EPO; JPO	2003/03/02 14:35
-	4	liquid adj crystal adj display and charge adj characteristic and compensate	USPAT; EPO; JPO	2003/03/02 14:50
-	0	liquid adj crystal adj display and charge adj characteristic and compensate and thermistor	USPAT; EPO; JPO	2003/03/02 14:50
-	0	liquid adj crystal adj display and charge adj characteristic and compensate and temperature adj control	USPAT; EPO; JPO	2003/03/02 14:51
-	5	liquid adj crystal adj display and charge adj characteristic and gate	USPAT; EPO; JPO	2003/03/02 15:07
-	0	liquid adj crystal adj display and charge adj characteristic adj compensator	USPAT; EPO; JPO	2003/03/02 15:49
-	0	liquid adj crystal adj display and charge adj characteristic adj compensate	USPAT; EPO; JPO	2003/03/02 15:49
-	4	liquid adj crystal adj display and charge adj characteristic and compensate	USPAT; EPO; JPO	2003/03/02 15:50
-	10	resistor and thermistor and positive adj temperature adj coefficient and LCD and gate and control	USPAT; EPO; JPO	2003/03/03 07:52
-	0	thermistor and LCD and gate and control and positive adj temperature adj coefficient	USPAT; EPO; JPO	2003/03/03 08:26
-	0	thermistor and LCD and positive adj temperature adj coefficient	USPAT; EPO; JPO	2003/03/03 08:25
-	1860	thermistor and positive adj temperature adj coefficient	USPAT; EPO; JPO	2003/03/03 08:26

-	10	thermistor and LCD and gate and control and positive adj temperature adj coefficient	USPAT; EPO; JPO	2003/03/03 08:26
-	0	thermistor and LCD and gate and control and positive adj temperature adj coefficient and 345/\$	USPAT; EPO; JPO	2003/03/03 08:26
-	10	thermistor and LCD and gate and control and positive adj temperature adj coefficient	USPAT; EPO; JPO	2003/03/03 08:33
-	13916509	thermistor and LCD and gate and control and positive adj temperature adj coefficient and resistor	USPAT; EPO; JPO	2003/03/03 08:33
-	10	thermistor and LCD and gate and control and positive adj temperature adj coefficient and resistor	USPAT; EPO; JPO	2003/03/03 08:33
-	10	thermistor and LCD and gate and control and positive adj temperature adj coefficient and resistor and parallel	USPAT; EPO; JPO	2003/03/03 08:34
-	10	thermistor and LCD and gate and control and positive adj temperature adj coefficient and resistor and parallel and switch	USPAT; EPO; JPO	2003/03/03 08:34
-	12	liquid adj crystal adj display and positive adj temperature adj coefficient adj thermistor	USPAT; EPO; JPO	2003/03/03 10:09
-	0	liquid adj crystal adj display and positive adj temperature adj coefficient adj thermistor and active adj matrix	USPAT; EPO; JPO	2003/03/03 10:10
-	0	liquid adj crystal adj display and positive adj temperature adj coefficient adj thermistor and TFT	USPAT; EPO; JPO	2003/03/03 10:10
-	0	liquid adj crystal adj display and positive adj temperature adj coefficient adj thermistor and gate adj control	USPAT; EPO; JPO	2003/03/03 10:11
-	0	resistor and thermistor and LCD and gate and control and drain and source and pixels and positive adj temperature adj coefficient adj thermistor	USPAT; EPO; JPO	2003/03/03 10:30
-	12	liquid adj crystal adj display and positive adj temperature adj coefficient adj thermistor	USPAT; EPO; JPO	2003/03/03 14:24
-	237	320/116.ccls.	USPAT; EPO; JPO	2003/03/03 14:24
-	0	320/116.ccls. and positive adj temperature adj coefficient adj thermistor	USPAT; EPO; JPO	2003/03/03 14:26
-	1	320/116.ccls. and positive adj temperature adj coefficient adj thermistor	USPAT; EPO; JPO	2003/03/03 14:27
-	1	320/116,128.ccls. and positive adj temperature adj coefficient adj thermistor	USPAT; EPO; JPO	2003/03/03 14:28
-	33	batteries and positive adj temperature adj coefficient adj thermistor	USPAT; EPO; JPO	2003/03/03 14:28
-	3	batteries and positive adj temperature adj coefficient adj thermistor and LCD	USPAT; EPO; JPO	2003/03/03 14:28
-	0	011273973A	USPAT; EPO; JPO	2003/03/04 09:06
-	0	11273973A	USPAT; EPO; JPO	2003/03/04 09:06
-	13912690	"11273973" A	USPAT; EPO; JPO	2003/03/04 09:12
-	1	"11273973"	JPO	2003/03/04 09:13
-	0	JP011273973A	JPO	2003/03/04 09:18
-	1	jp-01127973-\$.did.	JPO	2003/03/04 09:18
-	10580	gate adj voltage and current and change	USPAT; EPO; JPO	2003/07/11 09:59

-	1873	gate adj voltage and current and change and controller	USPAT; EPO; JPO	2003/07/11 10:00
-	0	gate adj voltage and current and change and controller and resistor and thermistor and compensat\$4 and charge adj characteristic	USPAT; EPO; JPO	2003/07/11 10:01
-	6	gate adj voltage and current and change and controller and resistor and thermistor and compensat\$4 and charge and characteristic and circuit and ambient adj temperature	USPAT; EPO; JPO	2003/07/11 10:17
-	11	gate adj voltage and current and change and controller and resistor and thermistor and compensat\$4 and charge and characteristic and circuit	USPAT; EPO; JPO	2003/07/11 10:04
-	3	gate adj voltage and current and change and controller and resistor and thermistor and compensat\$4 and charge and characteristic and circuit and ambient adj temperature and display	USPAT; EPO; JPO	2003/07/11 11:05
-	796275	ambient adj temperature and gate adj voltage and current and change and controller and resistor and thermistor and compensat\$4 and charge and characteristic and circuit and display	USPAT; EPO; JPO	2003/07/11 11:06
-	3	ambient adj temperature and gate adj voltage and current and change and controller and resistor and thermistor and compensat\$4 and charge and characteristic and circuit and display	USPAT; EPO; JPO	2003/07/11 11:06
-	11	gate adj voltage and current and change and controller and resistor and thermistor and compensat\$4 and charge and characteristic	USPAT; EPO; JPO	2003/07/11 11:07
-	40	gate adj voltage and current and change and controller and resistor and thermistor and compensat\$4	USPAT; EPO; JPO	2003/07/11 11:07
-	72	gate adj voltage and current and change and controller and resistor and thermistor	USPAT; EPO; JPO	2003/07/11 11:08
-	0	liquid adj crystal adj display and charge adj characteristic adj compensat\$4 adj circuit	USPAT; EPO; JPO	2003/07/11 14:44
-	0	liquid adj crystal adj display and charge adj characteristic and compensat\$4 adj circuit	USPAT; EPO; JPO	2003/07/11 14:43
-	0	charge adj characteristic adj compensat\$4 adj circuit	USPAT; EPO; JPO	2003/07/11 14:44
-	0	charge adj characteristic adj compensating adj circuit	USPAT; EPO; JPO	2003/07/11 14:44
-	1	liquid adj crystal adj display and charge and characteristic adj compensat\$4 adj circuit	USPAT; EPO; JPO	2003/07/11 14:45
-	59	liquid adj crystal adj display and charge and characteristic and compensat\$4 adj circuit	USPAT; EPO; JPO	2003/07/11 14:45
-	11	liquid adj crystal adj display and charge and characteristic and compensat\$4 adj circuit and thermistor	USPAT; EPO; JPO	2003/07/11 14:46
-	11	liquid adj crystal adj display and charge and characteristic and compensat\$4 adj circuit and thermistor and resistor	USPAT; EPO; JPO	2003/07/11 14:46
-	7	liquid adj crystal adj display and charge and characteristic and compensat\$4 adj circuit and thermistor and resistor and parallel	USPAT; EPO; JPO	2003/07/11 14:47
-	7	liquid adj crystal adj display and charge and characteristic and compensat\$4 adj circuit and thermistor\$1 and resistor and parallel	USPAT; EPO; JPO	2003/07/11 16:27

-	0	charge adj characteristic adj compensating adj circuit	USPAT; EPO; JPO	2003/07/11 16:28
-	1	charge adj characteristic and compensating adj circuit	USPAT; EPO; JPO	2003/07/11 16:30
-	11	charge adj compensating adj circuit	USPAT; EPO; JPO	2003/07/11 16:30
-	0	charge adj compensating adj circuit and Liquid adj crystal adj display	USPAT; EPO; JPO	2003/07/11 16:31
-	1	charge adj compensating adj circuit and display	USPAT; EPO; JPO	2003/07/11 16:31
-	0	charge adj compensating adj circuit and display and temperature	USPAT; EPO; JPO	2003/07/11 16:32
-	4	charge adj compensating adj circuit and temperature	USPAT; EPO; JPO	2003/07/14 08:19
-	0	charge adj compensating adj circuit and temperature and thermistor and resistor	USPAT; EPO; JPO	2003/07/14 08:20
-	0	charge adj compensating adj circuit and temperature and thermistor	USPAT; EPO; JPO	2003/07/14 08:20
-	1	charge adj compensating adj circuit and temperature and resistor	USPAT; EPO; JPO	2003/07/14 08:20
-	1	5,250,937.pn.	USPAT; EPO; JPO	2003/07/14 09:11
-	0	5,250,937.pn. and current adj controller	USPAT; EPO; JPO	2003/07/14 09:11
-	0	5,250,937.pn. and current and controller	USPAT; EPO; JPO	2003/07/14 09:12
-	1	5,250,937.pn. and current	USPAT; EPO; JPO	2003/07/14 09:12
-	1	5,250,937.pn. and current and control	USPAT; EPO; JPO	2003/07/14 09:12
-	1	5,250,937.pn. and current and control\$4	USPAT; EPO; JPO	2003/07/14 13:55
-	1	current adj controller and resistor and thermistor and charge and characteristic and temperature and voltage and display	USPAT; EPO; JPO	2003/07/14 09:15
-	11	current adj controller and resistor and thermistor and charge and temperature and voltage and display	USPAT; EPO; JPO	2003/07/14 09:22
-	0	5,059,767.pn. and current and control\$4	USPAT; EPO; JPO	2003/07/14 13:56
-	1	5,059,767.pn. and current	USPAT; EPO; JPO	2003/07/14 17:35
-	1	5,754,154.pn. and current	USPAT; EPO; JPO	2003/07/14 17:36
-	50	current adj controller and resistor and thermistor and transistor and temperature	USPAT; EPO; JPO	2003/07/14 18:24